

EAST 9/27/04

L Number	Hits	Search Text	DB	Time stamp
1	13	("2844366" "3211444" "3831919" "3917244" "4303231" "4307874" "4488751" "4623282" "4822808" "4909488" "	US-PGPUB	2004/09/22 07:35
2	86365	end near2 (stop or stopper or buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:21
3	34	end near2 (stop or stopper or buffer) same hydraulic with (damper or shock adj absorber or dampener) same piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:17
4	1	"2316924".PN.	USPAT	2004/09/22 07:17
5	15	4004662.URPN.	USPAT;	2004/09/22 07:25
6	172	213/223.ccls.	US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:26
7	1066	267/74,71,72.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:26
8	1867	267/69-74.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:26
9	1597	267/69-74.ccls.	USOCR	2004/09/22 07:26
10	1837	267/69-74.ccls.	USPAT; US-PGPUB	2004/09/22 07:27
12	12	267/69-74.ccls. and hydraulic with piston	USOCR	2004/09/22 07:28
11	16	267/69-74.ccls. and hydraulic with piston	USPAT; US-PGPUB	2004/09/22 07:29
14	13	267/286-291.ccls. and hydraulic with piston	USOCR	2004/09/22 07:30
13	16	267/286-291.ccls. and hydraulic with piston	USPAT; US-PGPUB	2004/09/22 07:30
16	88	267/34.ccls. and hydraulic with piston	USOCR	2004/09/22 07:31
15	53	267/34.ccls. and hydraulic with piston	USPAT; US-PGPUB	2004/09/22 07:37
17	47	end near2 (stop or stopper or buffer) same (coil or coiled or helical or spiral) adj spring same hydraulic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:38
18	41	end near2 (abutment) same (coil or coiled or helical or spiral) adj spring same hydraulic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:39
19	158	((267/64.18) or (267/64.22)).CCLS.	USPAT; US-PGPUB	2004/09/22 07:41
20	1	3365188.URPN.	USPAT;	2004/09/22 07:44
21	236	188/284.ccls.	US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:52
22	23	4700611.URPN.	USPAT;	2004/09/21 08:30
-	2	de adj2 "10236137"	US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:19
-	1	2004-181537.NRAN.	DERWENT	2004/09/21 08:31
-	20669	wolf.in. or breinl.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:31
-	392	suspa.asn.	USPAT;	2004/09/21 08:31
			US-PGPUB; EPO; JPO; DERWENT	

-	43	(wolf.in. or breinl.in.) and suspa.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 08:33
-	30	(hood or trunk) same spring near3 strut	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 09:44
-	13	("2844366" "3211444" "3831919" "3917244" "4303231" "4307874" "4487751" "4623204" "4712789" "4909488" "	US-PGPUB	2004/09/21 10:01
-	0	spring with facilitates! with (lifting or opening) with trunk	USPAT; US-PGPUB	2004/09/21 10:01
-	0	spring with facilitates! with (lifting or opening) with trunk	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:34
-	0	spring with facilitates! with (lifting or opening) same (trunk adj lid or enhine adj hood)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:01
-	450626	facilitates!	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:03
-	252	spring with facilitates! with (lifting or opening)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 12:32
-	7	spring with facilitates! with (lifting or opening) same (damper or dampener or shock adj absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:06
-	190	267/120.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:06
-	25	267/120.ccls. and (spiral or helical or coil or coiled) adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:15
-	35	296/76.ccls. and (spiral or helical or coil or coiled) adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:12
-	34	188/284.ccls. and (spiral or helical or coil or coiled) adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/22 07:43
-	7118	(spiral or helical or coil or coiled) adj spring same (damper or dampener or shock adj absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:17
-	4	((spiral or helical or coil or coiled) adj spring same (damper or dampener or shock adj absorber)) and 92/85\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:17
-	183	(spiral or helical or coil or coiled) adj spring same (damper or dampener or shock adj absorber) and (16/\$.ccls. or 292/\$.ccls. or 49/\$.ccls. or 296/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:18
-	31	(spiral or helical or coil or coiled) adj spring same (damper or dampener or shock adj absorber) same hydraulic and (16/\$.ccls. or 292/\$.ccls. or 49/\$.ccls. or 296/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:20
-	847	(spiral or helical or coil or coiled) adj spring same (damper or dampener or shock adj absorber) same hydraulic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:21

-	1	(spiral or helical or coil or coiled) adj spring same (damper or dampener or shock adj absorber) same hydraulic same actuating adj3 (pin or rod or trigger or tappet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:29
-	13	267/69-74.ccls. and (damper or dampener or shock adj absorber) same hydraulic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:28
-	0	(spiral or helical or coil or coiled) adj spring with opening adj direction same (damper or dampener or shock adj absorber) same hydraulic same actuating adj3 (pin or rod or trigger or tappet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:30
-	1	(spiral or helical or coil or coiled) adj spring with opening adj direction same (damper or dampener or shock adj absorber) same hydraulic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:31
-	5	damper same (spiral or helical or coil or coiled) adj spring and suspa.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:32
-	59	damper same (spiral or helical or coil or coiled) adj spring same lid	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:36
-	182	damper same (spiral or helical or coil or coiled) adj spring same tension	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 10:52
-	29	(dampener or damper) with hydraulic same tension adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 11:49
-	1	(dampener or damper) with hydraulic same tension adj spring same assist\$	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 11:49
-	1	(dampener or damper) with hydraulic same tension adj spring same assist\$ with (opening or opened or open)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 11:51
-	1	(dampener or damper) same tension adj spring same assist\$ with (opening or opened or open)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 11:52
-	0	267/221,226.ccls.same tension adj3 spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 11:52
-	24	267/221,226.ccls. and tension adj3 spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 11:53
-	18	267/34.ccls. and tension adj3 spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 12:18
-	13	4736931.URPN.	USPAT	2004/09/21 11:55
-	54	188/289.ccls. and spring	USPAT; US-PGPUB	2004/09/21 12:23
-	32	"4887899"	USPAT; US-PGPUB	2004/09/21 12:23
-	1	4887899.pn.	USPAT; US-PGPUB	2004/09/21 12:23
-	1	4884899.pn.	USPAT; US-PGPUB	2004/09/21 12:23

-	2	"20040033116"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 12:38
-	1	2004-064051.NRAN.	DERWENT	2004/09/21 12:35
-	18	409/\$.ccls. and 267/\$.ccls.	USPAT; US-PGPUB	2004/09/21 12:37
-	1	sandvik.asn. and gas adj spring same lubric\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 12:38
-	1	2004-064051.NRAN.	DERWENT	2004/09/21 12:39
-	3	("2631841" "3039758" "3603610").PN.	USPAT	2004/09/21 12:55
-	3	5224689.URPN.	USPAT	2004/09/21 12:56
-	101	extension adj spring same (damper or dampener)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:12
-	214	(damper or dampener or cushion or shock adj absorber) same piston same (rod or pin or tappet) with abutment	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:14
-	113	(damper or dampener or cushion or shock adj absorber) same piston same (rod or pin or tappet) with abutment same spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:15
-	47	(damper or dampener or cushion or shock adj absorber) same piston same (rod or pin or tappet) with abutment same spring and hydraulic with (damper or dampener or cushion or shock adj absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:22
-	11782	(trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:23
-	2863	(trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:24
-	15	(trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring same spring adj3 surrounds!	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:28
-	5	5580034.URPN.	USPAT	2004/09/21 13:25
-	3	("4071057" "4744444" "4830395").PN.	USPAT	2004/09/21 13:25
-	0	2809/\$.ccls. and (trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:37
-	156	280/\$.ccls. and (trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:37
-	2863	(trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:47
-	421	(trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring and hydraulic with (damper or dampener or dashpot or shock adj absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/21 13:48
-	299	((trunk or lid or cover or hood) same (damper or dampener or dashpot or shock adj absorber) same spring and hydraulic with (damper or dampener or dashpot or shock adj absorber))	USPAT; US-PGPUB	2004/09/21 13:50
-	5	("2260634" "2408254" "2902274" "4406473" "6491292").PN.	USPAT; US-PGPUB	2004/09/21 13:50
-	815	92/85\$.ccls.	USPAT; US-PGPUB	2004/09/22 05:30

-	660	267/221,225,226.ccls.	USPAT; US-PGPUB	2004/09/22 05:46
-	433	((267/177) or (267/175)).CCLS.	USPAT; US-PGPUB	2004/09/22 07:02